Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5241	707/1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 19:51
S2	1085	707/8.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 19:51
S3	1408	707/201.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 19:52
S4	6246	707/10.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 19:52
S5	2553	707/2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 19:53
S6	6	("5263155" "5151987" "6012094"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 19:58
S7	2	"20050234842"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:28

S8	8	leo with man with lau	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 20:00
59	1	marko with milek	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 20:00
S10	1	adil with m with sardar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 19:59
S11	158	error near log near even\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:30
S12	35	error near log near even\$3 and (commit\$4 roll\$1back)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:26
S13	18	error near log near even\$3 and (commit\$4 roll\$1back) and (system with resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:36
S14	2022	error with (system with resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:37

· · · · · · · · · · · · · · · · · · ·			T	ı		
S15	492	error with (system near resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:37
S16	30	error near (system near resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:02
S17	12369	resource near(consumpt\$4 deplet\$4 usage availability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:03
S18	876	memory with resource near(consumpt\$4 deplet\$4 usage availability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:03
S19	1	memory with (resource near(consumpt\$4 deplet\$4 usage availability)) near error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:04
S20	40	memory with (resource near(consumpt\$4 deplet\$4 usage availability)) with error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/09/28 14:39
S21	35	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:40

S22	35	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:41
S23	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:42
S24	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:42
S25	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:44
S26	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:44
S27	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:44
S28	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:45

Page 4

S29	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:46
S30	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:46
S31	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:46
S32	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:47
S33	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:48
S34	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:49

S35	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:49
S36	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6 and determin\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:50
S37	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6 and determin\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 16:49
S38	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6 and determin\$4 and error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 16:51
S39	31	memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and flag and (error near code) and lock and log and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6 and determin\$4 and error and transfer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 16:51

	7		l	<u> </u>		1
S40	2	"20060059253"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:09
S41	1	"20060059253" and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:10
S42	1	"20060059253" and protocol and error and application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:11
S45	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:13
S47	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:14
S49	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:15
S50	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:15

		·			r	
S51	. 1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:15
S52	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:15
S53	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:16
S54	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator and request\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:16
S55	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:16
S56	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 19:16

			,			
S57	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/09/30 20:54
S58	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6 and identif\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:20
S59	1	"20060059253" and memory with (resource near(consumpt\$4 deplet\$4 usag\$4 availability)) with (error code) and (error near code) and lock and log\$4 and determin\$4 and database and server and application and protocol and table and receiv\$4 and indicator and request\$4 and keyword and define\$4 and submit\$6 and identif\$4 and error and track\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 22:00
S60		"20060059253" and application near submit\$6 near request\$4 near protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 22:01
S61	0	"20060059253" and application with submit\$6 near request\$4 near protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 22:01

S62	0	"20060059253" and application with submit\$6 with request\$4 near protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 22:01
S63	0	"20060059253" and application with submit\$6 with request\$4 with protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 22:02
S64	0	"20060059253" and application and submit\$6 with request\$4 with protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 22:02
S65	1	"20060059253" and application and submit\$6 and request\$4 with protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 22:02
S66		"20060059253" and application with submit\$6 and request\$4 with protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 22:02
S67	1	"20060059253" and application with submit\$6 and request\$4 with protocol and keyword	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 22:03